SYLVANIA LIMITED WARRANTY

FUNAI CORP. will repair this SYLVANIA product, free of charge in the USA in the event of defect in materials or workmanship as follows

DURATION:

DUMINIO	۰
DADTC.	
PARTS:	

FUNAI CORP. will provide parts to replace defective parts without charge for one (1) year from the date of original retail purchase. Certain parts are excluded from this warranty. FUNAI CORP. will provide the labor without charge for a period of ninety (90) days from the date LABOR: of original retail purchase.

LIMITS AND EXCLUSIONS:

THIS WARRANTY IS EXTENDED ONLY TO THE ORIGINAL RETAIL PURCHASER. A PURCHASE RECEIPT OR OTHER PROOF OF ORIGINAL RETAIL PURCHASE WILL BE REQUIRED TOGETHER WITH THE PROD-UCT TO OBTAIN SERVICE UNDER THIS WARRANTY ..

This warranty shall not be extended to any other person or transferee.

This warranty is void and of no effect if any serial numbers on the product are altered, replaced, defaced, missing or if service was attempted by an unauthorized service center. This SYLVANIA Limited warranty does not apply to any the product not purchased and used in the United States.

This warranty only covers failures due to defects in material or workmanship which occurs during normal use. It does not cover damage which occurs in shipment, or failures which are caused by repairs, alterations or product not supplied by FUNAI CORP, or damage which results from accident, misuse, abuse, mishandling, misapplication, alteration, faulty installation, improper maintenance, commercial use such as hotel, rental or office use of this product or damage which results from fire, flood, lightning or other acts of God.

THIS WARRANTY DOES NOT COVER PACKING MATERIALS, ANY ACCESSORIES (EXCEPT REMOTE CONTROL), ANY COSMETIC PARTS, COMPLETE ASSEMBLY PARTS, DEMO OR FLOOR MODELS.

FUNAI CORP. AND ITS REPRESENTATIVES OR AGENTS SHALL IN NO EVENT BE LIABLE FOR ANY GENERAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR OCCASIONED BY THE USE OF OR THE INABILITY TO USE THIS PRODUCT. THIS WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND OF ALL OTHER LIABILITIES ON THE PART OF FUNAI, ALL OTHER WARRANTIES INCLUDING THE WARRANTY OF MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED BY FUNAI AND ITS REPRESENTATIVES IN THE UNITED STATES

ALL WARRANTY INSPECTIONS AND REPAIRS MUST BE PERFORMED BY FUNAI AUTHORIZED SER-VICE CENTER. THIS WARRANTY IS VALID WHEN THE UNIT IS CARRIED-IN TO FUNAI AUTHORIZED SERVICE FACILITY.

THE PRODUCT MUST BE ACCOMPANIED BY A COPY OF THE ORIGINAL RETAIL PURCHASE RECEIPT. IF NO PROOF OF PURCHASE IS ATTACHED, THE WARRANTY WILL NOT BE HONORED AND REPAIRS COSTS WILL BE CHARGED.

IMPORTANT

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE, IF, AT ANY TIME DURING THE WARRANTY PERIOD, YOU ARE UNABLE TO OBTAIN SATISFACTION WITH THE REPAIR OF THIS PRODUCT, PLEASE CONTACT FUNAI CORP.

ATTENTION:

FUNAI CORP. RESERVES THE RIGHT TO MODIFY ANY DESIGN OF THIS PRODUCT WITHOUT PRIOR NOTICE.

To locate your nearest SYLVANIA Authorized Service Center or general service procedure, please call 1-800-968-3429 or write to the following:

FUNAI CORPORATION Customer Service 100 North Street; Teterboro, NJ 07608 Tel :1-800-968-3429 http://www.funai-corp.com

PLEASE DO NOT SHIP YOUR UNIT TO THE TETERBORO ADDRESS.

0EMN02183

Printed in China

PHOTO STAND / TILT STAND

Photo Stand (6613LD)

Adjust the length of the stand in 2 types (long or short) to change the angle of TV.



Owner's Manual

SYLVANIA LCD TELEVISION 6613LD (13 INCH Photo Stand Type)

6615LD (15 INCH Tilt Stand Type)

FEATURES

- MTS/SAP Tuner
- 181 Channel Selection- All VHF/UHF channels plus up to 125 cable channels.
- PLL Frequency Synthesized Tuning- The latest PLL frequency synthesized electronic tuning system provides free and easy channel selection, and lets you tune directly to any channel using the channel number buttons (0~9 and +100-key) on the remote control.
- **On-Screen Function Display**
- **Full-Function Remote Control**
- Sleep Timer
- **Closed Caption Decoder-** You may view specially labeled (cc) TV programs, movies, news, prerecorded tapes, etc. with either a dialogue caption or text display added to the program.
- Auto Shut Off Function- If there is no air signal input from the antenna terminal and no user operation for 15 minutes, the TV will turn itself off automatically.
- V-CHIP- Enables parents to prevent their children from watching inappropriate material on TV.
- S-VIDEO Input- allows you to get better picture detail and clarity for the playback of S-VHS
- VCR tapes, Video Discs, Satellite System, Video Game or Video Cameras.
- Component Input

PRECAUTIONS

- Place your TV in a room with adequate ventilation.
- Keep your TV set away from sources of direct heat, such as heat registers or direct sunlight.
- Do not place your TV on soft surfaces, such as rugs or blankets.
- Leave enough room for air to circulate around the bottom, top and back of the set.


The serial number of this product may be found on the back of the TV. No others have the same serial number as yours. You should record the number and other vital information here and retain this book as a permanent record of your purchase to aid identification in case of theft.

Date of Purchase	Dealer Phone No.	
Dealer Purchase from	Model No.	
Dealer Address	Serial No.	


This Owner's Manual is made of recycled paper.

IF YOU NEED ADDITIONAL ASSISTANCE FOR SET-UP OR OPERATING AFTER READING OWNER'S MANUAL, PLEASE CALL TOLL FREE 1-800-968-3429, OR VISIT OUR WEB SITE AT http://www.funai-corp.com

Tilt Stand (6615LD) Adjust the stand to change the angle of TV.



CONNECTIONS



L0111UB / L0131UB 3

CLOSED CAPTION

This TV can receive C1 and C2 Caption and Text

Caption Mode

- (1) Closed Caption Characters can be displayed on the TV screen only when the received broadcast signal contains Caption Signals.
- (2) Paint-on mode: Displays input characters on the screen immediately.

Pop-on mode: Once characters are stored in memory, they are displayed all at once.

Roll-up mode: Displays the characters continuously by scrolling (max. 4 lines)

Note: If CAPTION C1 or C2 is selected but a Closed Caption signal is not included, characters will not be displayed.

Text Mode

(1) Displays the text on the screen by scrolling (max. 7 lines)

(2) If the received broadcast signal does not contain caption or text signals, no change will occur.

Notes:

- (1) When your TV receives a special effects playback signal (i.e., Search, Slow, Still) from a
- VCR's video output channel (CH3 or CH4), your TV may not display the correct caption or

(2) Captions and texts may not match the TV voice exactly.

- (3) Interference may cause the closed caption system not to function properly.
- (4) The caption or text characters will not be displayed while the menu display or functions display is shown.

(5) If you see this screen:



If your TV displays a black box on the screen, this means that your TV is set to TEXT mode. To clear screen, select CAPTION C1, C2 or CAPTION [OFF].

WARNING:

TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLI-ANCE TO RAIN OR MOISTURE.



CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK) NO USER SERVICEABLE PARTS INSIDE. REFER SER-VICING TO QUALIFIED SERVICE PERSONNEL.

The important note is located on the rear of the cabinet.

IMPORTANT SAFEGUARDS

- 1. Read instructions-All the safety and operating instructions should be read before the appliance is operated.
- 2 Retain Instructions-The safety and operating instructions should be retained for future reference
- Heed Warnings-All warnings on the appliance and in the operating instructions should be adhered to. 4.
- Follow Instructions-All operating and use instructions should be followed.
- Cleaning-Unplug TV from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.

EXCEPTION: A product that is meant for uninter rupted service and, that for some specific reason, such as the possibility of the loss of an authorization code for a CATV converter, is not intended to be unplugged by the user for cleaning or any other purpose, may exclude the reference to unplugging the appliance in the cleaning description otherwise required in item 5.

- Attachments-Do not use attachments not recommended by the TV manufacturer as they may cause hazards
- Water and Moisture-Do not use this TV near water, for 7. example, near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement, or near a swimming pool, and the like.
- Accessories-Do not place this TV on an unstable cart, stand, tripod, bracket, or table. The TV may fall, causing serious injury to someone, and serious damage to the appliance. Use only with a cart, stand, tripod, bracket, or table recommended by the manufacturer, or sold with the TV.

Any mounting of the appliance should follow the manufacturer's instructions and should

use a mounting accessory recommended by the manufacturer. An appliance and cart combination should be moved with care. Ouick stops, excessive force, and uneven surfaces may cause the appliance and cart combination to overturn.



AMEUBLES- Cet appareil ne doit être placé que sur un meuble (avec ou sans roulettes) recommandé par le fabricant. Si vous l'installez sur

THIS SYMBOL INDICATES THAT DAN-

GEROUS VOLTAGE CONSTITUTING A

THERE ARE IMPORTANT OPERATING

AND MAINTENANCE INSTRUCTIONS

IN THE LITERATURE ACCOMPANYING


RISK OF ELECTRIC SHOCK IS PRE-

THIS SYMBOL INDICATES THAT

SENT WITHIN THIS UNIT

THE APPLIANCE.

- renverser. Ventilation-Slots and openings in the cabinet and the back or bottom are provided for ventilation and to ensure reliable operation of the TV and to protect it from overheating, these openings must not be blocked or covered. The openings should never be blocked by placing the TV on a bed, sofa, rug, or other similar surface. This TV should never be placed near or over a radiator or heat register. This TV should not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instructions have been adhered to
- 10. Power Sources-This TV should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your appliance dealer or local power company. For TVs intended to operate from battery power, or other sources, refer to the operating instructions
- 11. Grounding or Polarization-This TV is equipped with a polarized alternating-current line plug(a plug having one blade wider than the other). This plug will fit into the power outlet only one way. This is a safety feature. If you are unable to insert the plug fully into the outlet, try reversing the plug. If the plug should still fail to fit, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the polarized plug.



- 12. Power-Cord Protection-Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit from the appliance
- 13. Outdoor Antenna grounding-If an outside antenna or cable system is connected to the TV, be sure the antenna or cable system is grounded so as to provide some protection against voltage surges and built-up static charges. Article 810 of the National Electrical Code ANSI/NFPA No. 70, provides information with respect to proper grounding of the mast and supporting structure, grounding of the lead-in wire to an antenna discharge unit, size of grounding conductors, location of antenna-discharge unit, connection to grounding electrodes, and requirements for the grounding electrode. (Fig. A)
- 14. Lightning-For added protection for this TV receiver during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna or cable system. This will prevent damage to the TV due to lightning and power-line surges.
- 15. Power Lines-An outside antenna system should not be located in the vicinity of overhead power lines or other electric light of power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
- 16. Overloading-Do not overload wall outlets and extension cords as this can result in a risk of fire or electric shock.
- 17. Object and Liquid Entry-Never push objects of any kind into this TV through openings as they may touch dangerous voltage points or short out parts that could result in a fire or electric shock. Never spill liquid of any kind on the TV.

- REAR PANEL -

- 18. Servicing-Do not attempt to service this TV yourself as opening or removing covers may expose you to dangerous voltage or other hazards. Refer all servicing to qualified service personnel.
- 19. Damage Requiring Service-Unplug this TV from the wall outlet and refer servicing to qualified service personnel under the following conditions:
- a. When the power supply cord or plug is damaged or frayed
- b. If liquid has been spilled, or objects have fallen into the TV.
- c. If the TV has been exposed to rain or water
- d. If the TV does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions, as improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the TV to its normal operation.
- e. If the TV has been dropped or damaged in any way. f. When the TV exhibits a distinct change in performance-this indicates a need for service.
- 20. Replacement Parts-When replacement parts are required, be sure the service technician uses replacement parts specified by the manufacturer that have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, injury to persons or other hazards.
- 21. Safety Check-Upon completion of any service or repairs to this TV, ask the service technician to perform routine safety checks to determine that the TV is in proper operating condition.
- 22. Heat-This TV product should be situated away from heat sources such as radiators, heat registers, stoves, or other products (including amplifiers) that produce heat.

b

B

AUDIC


-18

17


16

OPERATING CONTROLS AND FUNCTIONS

- TOP PANEL ·



- REMOTE CONTROL -



- 4. INPUT SELECT button- Press to select TV or the external input (VIDEO1 or VIDEO2) mode.
- (See USING AUDIO/VIDEO INPUT JACKS.) 5. **POWER (PWR) button-** Press to turn the TV ON and OFF
- 6. CHANNEL NUMBER button- Press two digits to directly access the desired channel. Remember to press a "0" before a single digit channel.

+100 button- Press to select cable channels higher than 99.

- 7. MUTE button- Press the MUTE button to turn off the sound portion of the TV program. (Volume level display turns LIGHT RED from LIGHT BLUE.) Press the MUTE button again or press the VOL
- 13.POWER INPUT jack- Connect to an AC adapter (supplied).

12

14.S-VIDEO input jack- Connect to the S-VIDEO output jack of a video camera or VCR using the S-VIDEO cable (not supplied).

NOTE: The S-VIDEO jack is given priority over the VIDEO jack.

- 14 15 16 13 2) Insert 2 "AA" penlight batteries into battery compartment in the direction as indicated by the polarity (+ / -) markings. Batteries installed with incorrect polarity may damage the remote unit.
- 3) Replace the cover.

 $\Box \Box \Box \Box$

Ο

0

 \odot


C

0

0

ANT.





- 1. MENU button- Press to display the menu on the TV screen.
- 2. VOLUME (VOL) $\blacktriangle/ \bigtriangledown$ buttons- Press to control the volume level.

Press to determine the setting mode from the menu on the TV screen. (only the VOL \blacktriangle button)

Press to select or adjust from a particular menu. (for example: Language Selection, Channel Presetting, Closed Caption Selection, Picture Adjustment, V-CHIP Set Up)

3. CHANNEL (CH) $\blacktriangle/\bigtriangledown$ buttons- Press to select memorized channel. NOTE: You MUST PRESET channels BEFORE using CHANNEL \blacktriangle/∇ button. (See CHANNEL PRESETTING.) Press to select the setting mode from the menu on the TV screen. Press to select item you want to adjust in the picture control mode.

 \blacktriangle or \blacktriangledown button to restore sound.

- 8. CHANNEL RETURN button- Press this button to go back to the previously viewed channel. For example, pressing the CHAN-NEL RETURN button once will change channel display from CH 3 (present channel) to CH 10 (previously viewed channel), and pressing it a second time will return from CH 10 to CH 3.
- 9. **DISPLAY button-** Press to display the channel number on the screen. If you press it again, the channel number will disappear. 10.SLEEP button- Press the SLEEP button to display the sleep timer and start the function. The shut off time can be determined by the number of times you press the button. (0, 10, 20, 30,..90, 0 minutes) 11.GAME button- Press to set the Game
- mode and external input mode at the same time. To exit, press the INPUT SELECT button. (Use VIDEO1 input jacks.)
- 12.ANT(enna). in jack- Connect to an antenna, cable system, or satellite system.

15.VIDEO in jack- Connect to the video output jack of a video camera or VCR. 16.AUDIO L/R in jacks- Connect to the left/right channel audio output jacks of a video camera or VCR.

- NOTE: The AUDIO L (in) jack is for mono input. The sound is heard from both speakers. Use this jack for monaural audio equipment to be hooked up.
- 17.COMPONENT (Y/Pb/Pr) video in jacks-Connect to the component video out jacks of a DVD.
- 18.**HEADPHONE jack** Connect headphone (not supplied) for personal listening. **NOTE:** Do not connect earphones that have an L-shaped plug. The plug may interfere with the cabinet.

INSTALLING THE BATTERIES

1) Slide the battery compartment cover back on the remote unit.

USING AUDIO/VIDEO INPUT JACKS

When you use the AUDIO/VIDEO input jacks, select "VIDEO1" or "VIDEO2" mode by pressing the INPUT SELECT button on the remote control.

- To use the jacks at the underneath of the TV, select "VIDEO1".
- To use the jacks at the side of the TV, select "VIDEO2".

NOTES:

- · You may also set the Game mode and external input mode at the same time by pressing the GAME button on the remote control. "GAME" appears on the TV screen. In this case, connect the external source to the AUDIO/VIDEO jacks at the underneath of the TV. (Use VIDEO1 input jacks.) (See PIC-TURE ADJUSTMENT.)
- When you use the S-VIDEO connection. S-VIDEO jack is given priority over the VIDEO jack.

PREPARATION FOR USE

LANGUAGE SELECTION

If you want to change the language of the on-screen menu, follow the procedure below.

- 1) Connect the power cord to a standard AC outlet.
- **Note:** If some digits appear in the corner of the screen,

press the POWER button without unplugging the power cord. 2) Press the POWER button to turn on the TV.

- 3) Press the MENU button so that the menu display appears on the TV screen.
- 4) Press the CH(annel) \blacktriangle or \triangledown button to point to "[ENG]".
- 5) Select "ENG" (English), "ESP" (Spanish) or "FRA" (French) by using the VOL(ume) \blacktriangle or \blacktriangledown button.
- 6) Press the MENU button to exit the menu.

CHANNEL PRESETTING

NOTE: You MUST PRESET channels BEFORE using CHANNEL ▲ or ▼ button.

- To preset a channel or to change a preset channel, follow the procedure below.
- 1) Press the POWER button to turn on the TV.
- 2) Press the MENU button so that the menu display appears on the TV screen.
- 3) Press the CH(annel) \blacktriangle or \checkmark button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.
- 4) Press the CH(annel) \blacktriangle or \triangledown button to point to "AUTO MEMO". Then, press the VOL(ume) \blacktriangle button. The tuner scans and memorizes all active channels in your area.
- The TV distinguishes between standard TV channels and cable (CATV)
- channels • When AUTO MEMO action is completed, the lowest memorized channel reappears on the screen.
- When you press the CH(annel) \blacktriangle or ∇ button after selecting AUTO MEMO, the tuner will stop at the memorized channels only.
- The TV may memorize TV channels as CATV channels if the reception conditions are poor. If this happens, try the AUTO MEMO action again when reception conditions are better.

[ADD/DELETE FUNCTION]

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the CH(annel) \blacktriangle or \triangledown button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.

OPERATIONS

WATCHING A TV PROGRAM

- 1) Press the POWER button to turn on the TV.
- 2) Select the desired channel with the CH(annel) \blacktriangle or \checkmark button.
- 3) Adjust the volume to the desired listening level using the VOL(ume) \blacktriangle or \blacktriangledown button.
- 4) Adjust picture controls for a natural looking image. (See "PICTURE ADJUSTMENT".)

SETTING THE SLEEP TIMER

The sleep timer function allows you to have the POWER automatically turn off after a set time period.

- 1) Press the POWER button to turn on the TV and press the SLEEP button on the remote control.
- 2) You may change the sleep time by pressing the SLEEP button on the remote control repeatedly. The timer can be set up to 90 minutes, 10 minutes each time the SLEEP button is pushed. (The timer display counts up and sleep timer will be displayed on the screen when you press the SLEEP button on remote control.)

To cancel the sleep timer:
Press the SLEEP button repeated-
ly until "SLEEP 0" is displayed.

SLEEP 10

Note: When you disconnect the unit from the AC outlet, or if you have a power failure, the sleep time will be lost.

- 3) Press the VOL(ume) \blacktriangle button so that "ADD/DELETE" is selected.
- 4) Use the CH(annel) \blacktriangle or \triangledown button to select the channel you wish to put into memory or to erase from memory. Note: The display will return to the normal screen automatically in about
 - 10 seconds.
- Perform "ADD/DELETE" function while this display appears on the screen. • Press the VOL(ume) \blacktriangle or \blacktriangledown button to light up the channel number in LIGHT BLUE if you wish to add the channel into memory.
- Press the VOL(ume) \blacktriangle or \blacktriangledown button to light up the channel number in LIGHT RED if you wish to erase the channel from memory.
- 5) Press the MENU button to exit the menu.

MTS (Multi-Channel Television Sound) System

You can listen to a program in MTS stereo by following the steps below.


	1 0		•	
Menu Selection Type of broadcast	MAIN	MONO	SAP	To show the status, press the DISPLAY button on the remote control.
Regular	-None-	-None-	-None-	
Stereo broadcast	STEREO	MONO	STEREO	SAP: Second Audio Program, which means your program, can
SAP	MAIN	MAIN	SAP	also be received in a second lan- guage or sometimes a radio station.

[To Select STEREO, MONO or SAP in Stereo broadcast]

1) Press the MENU button so that the menu display appears on the TV screen.

2) Press the CH(annel) \blacktriangle or \triangledown button to point to "TV SOUND".

3) Press the VOL(ume) ▲ or ▼ button to select your desired stereo mode. ([MAIN], [MONO] or [SAP])



RESUME FUNCTION

If the power fails or is disconnected while the TV is powered on, the TV will turn on automatically when the power resumes.

VOL(ume)▼

to decrease

brightness

to decrease

contrast

to pale

to soft

to purple

VOL(ume)

to increase

brightness

to increase

to brilliant

contrast


to green

to clear

PICTURE ADJUSTMENT

- 1) Press the MENU button so that the menu
- display appears on the TV screen. 2) Press the VOL(ume) \blacktriangle button so that "PIC-TURE" is selected.
- 3) Press the CH(annel) \blacktriangle or \blacktriangledown button to select "MANUAL". Then, press the VOL(ume) \blacktriangle button.
- 4) Select the feature you wish to adjust with the CH(annel) \blacktriangle or \checkmark button and adjust it with the VOL(ume) \blacktriangle or \checkmark button.

 \blacksquare : Press the CH(annel) \blacktriangle or \checkmark button.



BRIGHT

COLOR

TINT

CONTRAST

SHARPNESS

ADD/DELETE AUTO MEMO



► PICTURE

CHANNEL SET

CAPTION [OFF]

CHANNEL SET

V-CHIP SET UP

CAPTION [OFF] TV SOUND [MAIN]

ENG] / ESP / FRA

PICTURE

PICTURE

PICTURE CHANNEL SET

[ENG] / ESP / FRA V-CHIP SET UP

TV SOUND [MAIN]

CAPTION [OFF]

[ENG] / ESP / FRA V-CHIP SET UP

TV SOUND [MAIN]

CLOSED CAPTION SELECTION

You may view specially labeled (cc) TV programs, movies, news, prerecorded tapes, etc. with either a dialogue caption or text display added to the program.

 \blacksquare : Press the VOL(ume) \blacktriangle or \checkmark button. the menu PICTURE CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [OFF] TV SOUND [MAIN] PICTURE CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [T1] TV SOUND [MAIN] PICTURE CHANNEL SET PICTURE CHANNEL SET PICTURE CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [T2] TV SOUND [MAIN] [ENG] / ESP / FRA V-CHIP SET UP CAPTION [C1] TV SOUND [MAIN] [ENG] / ESP / FRA V-CHIP SET UP CAPTION [C2] TV SOUND [MAIN]

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the CH(annel) \blacktriangle or \triangledown button to point to "CAPTION".
- 3) Press the VOL(ume) \blacktriangle or \checkmark button to select the mode you wish.
- 4) When done, press the MENU button to exit
- Note: • In the above steps, the picture adjustment display will disappear from the TV screen automatically after about 10 seconds if you do not press any buttons. Press the MENU and VOL(ume) ▲ button so that "PICTURE" is selected. Then, press the CH(annel) ▲ or ∇ button repeatedly until the display returns to the screen.

[USING THE GAME BUTTON]

You can set the Game mode and external input mode at the same time by pressing the GAME button on the remote control. "GAME" appears on the TV screen.

- To exit the Game mode and external input mode, press the GAME button on the remote control again.
- To cancel the Game mode only, adjust the picture control. In this case, "VIDEO1" instead of "GAME" appears on the TV screen.
- If you press the GAME button when the TV is off, the TV turns on and will be in the Game mode and external input mode automatically.

V-CHIP SET UP

V-CHIP enables parents to prevent their children from watching inappropriate material on TV.

V-CHIP reads the ratings for programming (except for news and sports programs, unedited movies on premium cable channels, and Emergency Broadcast System signals), then denies access to programming if the program's rating meets or exceeds the limitations you select. In this case, "PROTECTED PRO-GRAM by ..." message appears on the TV screen.

To block certain ratings, follow the steps below.

- Programming may be rated by the Motion Picture Association of America (MPAA) or according to the Television Parental Guidelines. In order to block any inappropriate programming, set your limits in both places (MPAA RATING and TV RATING).
- You cannot access the menu when the "PROTECTED PROGRAM by ..." message appears. In this case, change to an unblocked channel, then press the MENU button.

[MPAA RATING SET UP]

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the CH(annel) \blacktriangle PICTURE or $\mathbf{\nabla}$ button to point to **"V-CHIP SET** Then, press th VOL(ume) ▲

o point to	CHANNEL	SET
Г UР".	[ENG] / ES	P / FRA
	V-CHIP SE	T UP
ne	CAPTION	[OFF]
button.		[MAIN]

3) Press the CF or ▼ button "MPAA RA" Then, press VOL(ume)	to point to ΓING". the	TV RATING MPAA RATING						
4) Press the CF or ▼ button your desired Then, press VOL(ume) 2 select [BLO	to point to item. the button to	► G PG PG-13 R NC-17 X	[VIEW] [VIEW] [VIEW] [VIEW] [VIEW] [VIEW]					
<selection> • G: • PG: • PG-13: • R: • NC-17:</selection>	G: General Audience PG: Parental Guidance suggested. PG-13: Unsuitable for children under 13 R: Restricted; under 17 requires accompanying parent or adult guardian							

• When you select the rating category and turn it to [BLOCK], the higher rating will turn [BLOCK] automatically. Also, the lower rating will turn [VIEW] automatically.

Mature audience only

- When you turn "G" to [BLOCK] or [VIEW], the all ratings will turn to [BLOCK] or [VIEW] automatically.
- When you turn "X" to [VIEW], then all ratings will turn to [VIEW] automatically. 5) Press the MENU button to exit the menu.

ITV RATING SET UP

• X:

- 1) Press the MENU button so that the menu display appears on the TV screen. 2) Press the CH(annel) \blacktriangle or \triangledown button to point
- to "V-CHIP SET UP". Then, press the VOL(ume) \blacktriangle button.

3) Press the CH or ▼ button "TV RATING press the VO button.	to point to G". Then,	► TV RATING MPAA RATING
 4) Press the CH or ▼ button a your desired Then, press t VOL(ume) ▲ select [BLOOK 	to point to item. he button to	► TV-Y [VIEW] TV-Y7() [VIEW] TV-G() [VIEW] TV-PG() [VIEW] TV-14() [VIEW] TV-MA() [VIEW] EW].
<pre><selection> Explanations> • TV-Y: • TV-Y7: • TV-G: • TV-PG: • TV-14:</selection></pre>	Appropriate older General Au Parental Gu	e for all children e for children seven and

• When you select the rating category and turn it to [BLOCK], the higher rating will turn [BLOCK] automatically. Also, the lower rating will turn [VIEW] automatically.

Mature audience only

• When you turn "TV-Y" to [BLOCK] or [VIEW], then all ratings will turn to [BLOCK] or [VIEW] automatically.

TV-MA:

• When you turn "TV-MA" to [VIEW], then all ratings will turn to [VIEW] automatically. 5) Press the MENU button to exit the menu.

[V-CHIP SET UP SUB RATINGS]

When you select TV-Y7, TV-PG, TV-14, or TV-MA and you press the VOL(ume) \blacktriangle button, the sub-ratings will appear on the TV screen. If you select the rating category (example: TV-PG) and turn it to [BLOCK] or [VIEW], the sub-ratings (example: V for Violence) will turn [BLOCK] or [VIEW] automatically. You can set the sub-ratings to [BLOCK] or [VIEW] individually when the rating category is set to [BLOCK]. To set the sub-ratings individually, follow the steps below.

When you select [TV-Y	7]:	
Press the CH(annel) \blacktriangle		
or $\mathbf{\nabla}$ button to select	TV-Y7	[BLOCK]
"FV" (Fantasy	► FV	[BLOCK]
Violence). Then, press		[
the VOL(ume) \blacktriangle button		
to select [BLOCK] or [VIEW]. When you select [TV- PG], [TV-14] or [TV- MA]:	► TV-Y TV-Y7() TV-G TV-PG(DLSV) TV-14 (DLSV) TV-MA(LSV)	[BLOCK]
Press the CH(annel) \blacktriangle or \checkmark button to select	TV-PG	[BLOCK]
"D" (Suggestive	► D L	[BLOCK] [BLOCK]
Dialog), "L"(Coarse Language), "S"(Sexual	S V	[BLOCK] [BLOCK]
Situation), or "V"		

(Violence). Then, press the VOL(ume) \blacktriangle button to select [BLOCK] or [VIEW]. Note: When you select [TV-MA], "D" does not appear on the TV screen.

• The sub-ratings which set to [BLOCK] appear next to the rating category in the TV RATING menu.

TROUBLESHOOTING GUIDE

Sometimes a performance problem can be easily solved by checking seemingly apparent but often overlooked possibilities. Before arranging for service, check these items. It could save you time and money.

QUICK SERVICE CHECK LIST	PROBLEM	ote Control Doesn't Work		Picture Rolls Vertically No Color	annels			Ficture Blurred Sound OK, Picture Poor	Sound Poor	or sound lor marks on screen	minous point on Screen	 Wipe the front parfaces of the TV win lukewarm wate Never use a solve insecticide liquid cals may cause dat the exposed surface 	ith a soft or r and wrun nt or alcoh near the T mage and	cloth immersed ng dry. nol. Do not spray 'V. Such chemi-		be it with a cotton or soft g the picture screen, dis-
POSSIBLE REMEDY			_		_						_	SUPPLIEI		CECCUBI	FS	
Try a new channel, if OK, then possible station trouble.				XX		$\times \times$	$ \times $	< X	\times	< X		SULLE	JAC	CESSONI	LS	
Is TV plugged in?		X							>	<						
Power at outlet? Is TV's POWER button on?			_		+ +					×		Remote control	unit	\cap	AC cord	(RD)
Is antenna connected to terminal on the back of the set?				H x	X	×	x	×		2		(NE122UD)			AC adapter	Ala
If outside antenna is being used, check for broken wire.			x x	XX						<u>x</u>				2 (RF cable	SE ID RO
Check for local interference.			X	X	X	X	X	X				Batteries ("AA"	x 2)		Owner's Manual	
Turn off with POWER button and then turn it on after about a min	nute.									<			,		Owner's Manual	
Adjust COLOR control.				×	•											and Cost
Adjust CONTRAST & BRIGHT control.						×		X				SDECIEIC		NIC		
Check batteries in Remote Control.		×	_								_	SPECIFIC		JIND		
Move the TV away from the nearby appliances which have Magn Turn off using the POWER button, then turn it on again 30 minut										X						
Temperature around is too low.	es of so fater.		×		+ +	×		×				GENERAL SI	PECIFI	CATIONS	OTHER SPEC	CIFICATIONS
Life of the Back Light is approximately 50,000 hours. Ask the Se	rvice Center to replace.		+			x –		X				Television system:	NTSC-M		Remote control:	Digital encoded
It is quality of the LCD Panel.											×	relevision system.	TV Stan		Remote control.	infrared light system
Closed Caption Problem				Poss	ible 1	Reme	dy					Closed Caption System				5° C to 40° C (41° F $\sim 104^{\circ}$ F)
My TV is showing captions that are	You are watch	ing o	live	brook	loost	and	malli	ngar	rore	mad	by the	Channel coverage			Power requirements:	DC12V
misspelled.	closed caption											VHF:	2~13		Power consumption(M	aximum): 41W(6613LD)
misspened.	ed. A prerecor	nig p ded r	rogi	am w	ill no	party at sho	may w an	pass v mi	ssne	lled v	vords	UHF:	14~69	117	LCD	44W(6615LD)
	because of the											CATV:	2 ~ 13, A W+1 ~ V		LCD:	13"(6613LD) 15"(6615LD)
								-		-			$A-5 \sim A-5$		<u>6613LD</u>	13 (0013LD)
My TV will not show the text in its entirety	Captions that a											Tuning System:	181 char		Dimensions(H x W x I	<u>))</u> .
or there is a delay of what is being said.	are common fo											Fulling System.		y synthesized	Photo Stand open	
	nies can displa												tuning sy			6-5/8"(422mm) x 5-7/8"(148.5mm)
	If a dialogue e	xceed	ds th	at rate	e, sele	ective	edit	ing is	use	d to i	nsure that	Channel access:		ccess keyboard,	Photo Stand close	, , , , , , , , , , , , , , , , , , , ,
	the captions re	main	up-	to-date	e wit	h the	curre	ent T	V sc	reen	lialogue.		program	mable		-5/8"(422mm) x 2-1/8"(53.5mm)
My captions are scrambled with white	Interference ca	aused	by	mildi	ng n	ower	lines	thu	nder	storn	is etc		scan and	up/down	Weight:	
boxes on the TV screen.	may cause scr											Terminals			With Photo Stand:	
					•							Antenna input:		IF/CATV	Without Photo Stan	d: 6.8 lbs. (3.1kg)
My program guide listed a TV show as	Broadcasters r													unbalanced	<u>6615LD</u>	~
being closed captioned	actual program												(F-type)	NT 4	Dimensions(H x W x I)):
but none of the captions were displayed.	Since the deco	der c	anno	ot read	d the	comp	press	ed in	form	natior	, captions	S-Video input: Video input:	RCA coi	N 4-pin jack	With Tilt Stand	2 1/2"(460) 0 7/16"(240 5)
	will be lost.											Audio input:		nnector x 4	Without Tilt Stand	8-1/8"(460mm) x 9-7/16"(240.5mm)
My prerecorded videotape does not show	The videotape	was	eith	er an i	llega	1 con	ving	or th	e tar	ne du	olicating	Component video i				18-1/8"(460mm) x 2-1/8"(53.5mm)
any captions. The tape box mentions it	company accid											One pin jack (Y), 1Vnn(75	ohm)	Weight:	10 1/0 (100mm) x 2 1/0 (33.5mm)
being closed captioned.	copying proce		ii y it	iii oui	, the	capin	sinne	5 5151			5 110	Two pin jacks (Pr	$)/(P_B), 700m$	Vpp(75 ohm)	With Tilt Stand:	9.3 lbs. (4.2kg)
0 1	1.2 0.1											Headphone:		naural(3.5 mm)	Without Tilt Stand:	
My TV screen shows a black box on certain		TEX	T m	ode. S	Select	t CAI	PTIO	N mo	ode	or CA	PTION	Stereo Sound System	,	× /		ications are subject to
channels.	[OFF].											2 speakers				tice and without our
The LCD panel is manufactured to pro	vida many va	ora	.f.,	f 1	1:fo	0.				£		2 ways AV input			legal obligation.	
												Sound output:	1W, 8 oh			

MAINTENANCE

CABINET CLEANING

PICTURE SCREEN CLEANING

The LCD panel is manufactured to provide many years of useful life. Occasionally a few nor Sound output: active pixels may appear as a tiny spec of color. This in not to be considered a defect in the LCD screen.

•If there is a discrepancy between languages, the default language will be English.